The listing of the claims will replace all prior versions, and listings, of claims in the application:

## Listing of Claims:

Claim 1 (Currently Amended): A hand stamp (1) with a stamp plate carrier (2) and a stamp plate (3) as well as with engaging parts on the stamp plate carrier (2) and on the stamp plate (3) for a releasable interconnection thereof, characterized in that wherein the engaging parts are formed by multiple groove/web structures (4, 5).

Claim 2 (Currently Amended): A hand stamp according to claim 1, characterized in that wherein the groove/web structures (4, 5) have rectangular cross-sections.

Claim 3 (Currently Amended): A hand stamp according to claim 2, characterized in that wherein the groove/web structures (4, 5) have square cross-sections.

Claim 4 (Currently Amended): A hand stamp according to claim 1, characterized in that wherein the grooves (4) and the webs (5) have cross-sections engaging one behind the other.

Claim 5 (Currently Amended): A hand stamp according to claim 4, characterized in that wherein the grooves (4) and the webs (5) have trapezoidal cross-sections.

Claim 6 (Currently Amended): A hand stamp according to any one of claims 1 to 5, characterized in that wherein the groove/web structures (4, 5) are arranged on the entire surface of the carrier (2) or of the stamp plate (3), respectively.

Claim 7 (Currently Amended): A hand stamp according to any one of claims 1 to 6, characterized in that wherein the groove/web structures (4, 5) have grooves (4) parallel to each other and webs (5) correspondingly parallel to each other.

Claim 8 (Currently Amended): A hand stamp according to claim 7, characterized in that wherein the grooves (4) and webs (5) are equally wide.

Claim 9 (Currently Amended): A hand stamp according to claim 7 or 8, characterized in that wherein the grooves (4) and webs (5) are equally high.

Claim 10 (Currently Amended): A hand stamp according to any one of claims 1 to 9, characterized in that wherein transverse

grooves traversing the grooves (4) and corresponding transverse webs (7) are provided.

Claim 11 (Currently Amended): A hand stamp according to any one of claims 1 to 10, characterized in that wherein the carrier (2) is made of a dimensionally stable material.

Claim 12 (Currently Amended): A hand stamp according to claim 11, characterized in that wherein the carrier (2) is made of plastics.

Claim 13 (Currently Amended): A hand stamp according to any one of claims 1 to 12, characterized in that wherein the stamp plate (3) is made of an elastic material.

Claim 14 (Currently Amended): A hand stamp according to claim 13, characterized in that wherein the stamp plate (3) is made of caoutchouc.

Claim 15 (Currently Amended): A hand stamp according to any one of claims 1 to 14, characterized in that wherein receiving means (8) for letters, or stamp characters (9), respectively, are formed on the side of the stamp plate (3) that faces away from the groove/web structures (4, 5).

Claim 16 (Currently Amended): A hand stamp according to claim 15, characterized in that wherein the letters/stamp characters (9) are made of an elastic material.

Claim 17 (Currently Amended): A hand stamp according to claim 16, characterized in that wherein the letters/stamp characters (9) consist of a material selected from the group consisting of plastics or caoutchouc.

Claim 18 (Currently Amended): A hand stamp according to claim 15 or 16, characterized in that wherein several letters/stamp characters (9) are interconnected.

Claim 19 (Currently Amended): A hand stamp according to claim 15, characterized in that wherein the receiving means (8) have rounded undercuts (12).

Claim 20 (Currently Amended): A hand stamp according to  $\frac{1}{2}$  one of claims 1 to  $\frac{1}{2}$ , characterized by a design as a self-inking stamp with a turning mechanism.

Claim 21 (Currently Amended): A stamp plate for a hand stamp with engaging parts for a releasable interconnection with a stamp plate carrier of the hand stamp, characterized in that

wherein the engaging parts are formed by a multiple groove/web structure (4, 5).

Claim 22 (Currently Amended): A stamp plate according to claim 21, characterized in that wherein the grooves (4)/webs (5) have rectangular cross-sections.

Claim 23 (Currently Amended): A stamp plate according to claim 22, characterized in that wherein the grooves (4)/webs (5) have square cross-sections.

Claim 24 (Currently Amended): A stamp plate according to claim 21, characterized in that wherein the grooves (4) and the webs (5) have cross-sections engaging one behind the other.

Claim 25 (Currently Amended): A stamp plate according to claim 24, characterized in that wherein the grooves (4) and the webs (5) have trapezoidal cross-sections.

Claim 26 (Currently Amended): A stamp plate according to any one of claims 21 to 25, characterized in that wherein the groove/web structures (4, 5) are arranged on the entire surface of the stamp plate (3).

Claim 27 (Currently Amended): A stamp plate according to any one of claims 21 to 26, characterized in that wherein parallel grooves (4) and webs (5) are provided.

Claim 28 (Currently Amended): A stamp plate according to any one of claims 21 to 27, characterized in that wherein the grooves (4) and webs (5) are equally wide.

Claim 29 (Currently Amended): A stamp plate according to any one of claims 21 to 28, characterized in that wherein the grooves (4) and webs (5) are equally high.

Claim 30 (Currently Amended): A stamp plate according to any one of claims 21 to 29, characterized in that wherein transverse grooves (7) traversing the grooves (4) and corresponding transverse webs are provided.

Claim 31 (Currently Amended): A stamp plate according to any one of claims 21 to 30, characterized in that wherein it comprises a plate body of elastic material.

Claim 32 (Currently Amended): A stamp plate according to claim 31, characterized in that wherein the plate body consists of caoutchouc.

Claim 33 (Currently Amended): A stamp plate according to any one of claims 21 to 32, characterized in that

Wherein receiving means (8) for letters/stamp characters (9) are formed on the side which faces away from the groove/web structure (4, 5).

Claim 34 (Currently Amended): A stamp plate according to claim 32, characterized in that wherein the receiving means (8) have rounded undercuts (12).